
olar-powered LED Stair Light





Solar-powered LED Stair Light **GS-010**


GS-010 LED Stair Light supplies just enough mellow light to safely allow you and your guests to navigate to and from your home, without contributing too much light pollution. In addition, it is easy to install, requiring no special tools, only a hammer and two nails.

Suggested Uses

- Driveway
- Stairs
- Garden
- Steps
- Sidewalk

Features

- Best quality among similarly priced products
- Easy installation
- Maintenance-free
- Fast recharging
- RoHs & CE certification
- Cordless, Wireless




Light up your path and beautify your world.

Specifications	
Construction	
Dimensions Weight Material	14x9.5x2.2cm 170g Stainless steel, PC
Operation	
Light output Switch Full charged time Operation time after full charged Working Temperature	Permanent Auto/off 6 hours Up to 8 hours -20℃~80℃
Lighting Output	
LED pcs LED Color LED Lifetime LED Intensity Lighting Distance	2 pcs White/amber 100,000 hours 8,000~10,000 mcd 3m~5m
Solar Panel	
Type Efficiency	0.28W Mono-crystalline 14%
Battery	
Туре	1 pc 600mA "AAA" size Ni-MH/Ni-Cd rechargeable battery
Packaging	
Color box Qnty./Master Carton Master Carton Size	4 pcs/15.5x11x12.5cm 10 pcs 29.5x22x34cm



GS-010 Specification



Gerneral	
Size	Length: 5.43 inches / 138mm Width: 3.75 inches / 96mm Hight: 0.91 inches / 23mm
Weight	0.17 kgs
Housing	Stainless Steel
Lens	PC
Operational	
Switch	Auto/OFF
Operation time	Up to 8 hours(Sunny day) 3~5 hours(Cloudy day)
Lighting output	Permanent
Lighting Distance	3m~5m
Environmental	
Operating Temperature	-20℃~80℃
Moisture Protection	Water-resisted
LEDs	
LED pcs	2 pcs
LED life time	100000 hours
LED intensity(mcd)	6000~8000 mcd
LED Color	White: GS-010-W Amber: GS-010-A
Solar Panel	
Туре	0.28W Crystalline panel
Efficiency	12%~15%
Power storage	
Туре	1pc 600mA "AAA" size rechargeable batteries
Listing	
Certification	CE, RoHs



